

03560.002597.1



PATENT

Case #

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
HIDEYUKI CHINJU, et al.)	Examiner: Courtney D. Thomas
Appl. No.: 10/689,031)	Group Art Unit: 2882
Filed: October 21, 2003)	
For: SYNCHROTRON RADIATION)	
MEASUREMENT APPARATUS,)	
X-RAY EXPOSURE)	
APPARATUS, AND DEVICE)	
MANUFACTURING METHOD)	
U.S. Patent No.: 6,847,696)	
Issued: January 25, 2005)	November 30, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

*Certificate
DEC 06 2005
of Correction*

CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

12/02/2005 HDEMESS1 00000032 6847696

01 FC:1811

100.00 DP

DEC 6 2005

Patentees' undersigned attorney may be reached in our Costa Mesa,
California office by telephone at (714) 540-8700. All correspondence should continue to
be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Frank L. Cire', written over a horizontal line.

Frank L. Cire
Attorney for Patentees
Registration No.: 42,419

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

CA_MAIN 105612v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,847,696

DATED : January 25, 2005

INVENTOR(S) : HIDEYUKI CHINJU, et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(75) Inventors:

"Nobuaki Ogushi" should read --Nobuaki Ogushi--.

COLUMN 1:

Line 18, "radiation" should read --radiation,--.

Line 20, "field" should read --field,--.

COLUMN 5:

Line 26, "two." should read --two--.

COLUMN 6:

Line 2, "Increased," should read --increased,--.

COLUMN 8:

Line 28, "ate" should read --are--.

COLUMN 9:

Line 8, "Intensity" should read --intensity--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,847,696

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,847,696

DATED : January 25, 2005

INVENTOR(S) : HIDEYUKI CHINJU, et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 17:

Line 5, "what is" should read --what are--.

Line 32, "measumrents." should read --measurements.--

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,847,696

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,847,696

DATED : January 25, 2005

INVENTOR(S) : HIDEYUKI CHINJU, et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(75) Inventors:

"Nobuaki Oqushi" should read --Nobuaki Ogushi--.

COLUMN 1:

Line 18, "radiation" should read --radiation,--.

Line 20, "field" should read --field,--.

COLUMN 5:

Line 26, "two." should read --two--.

COLUMN 6:

Line 2, "Increased," should read --increased,--.

COLUMN 8:

Line 28, "ate" should read --are--.

COLUMN 9:

Line 8, "Intensity" should read --intensity--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,847,696

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)
(Form#30)



DEC 6 2005

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,847,696
DATED : January 25, 2005
INVENTOR(S) : HIDEYUKI CHINJU, et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 17:

Line 5, "what is" should read --what are--.

Line 32, "measumrents." should read --measurements.--

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,847,696

No. of add'l. copies
@ 30¢ per page

